

SKF TLGB 21/110V

Battery driven grease gun



Developed for maximum operator efficiency, the SKF Battery Driven Grease Gun TLGB 21 includes an integrated grease meter to help prevent over- and under-lubrication. This unique tool features a durable, ergonomic design with a four-point stand for operator comfort and convenience and a 2.5 Ah lithium-ion battery for long term use. The tool's display indicates battery charge level, amount of grease dispensed, pump/motor speed and blocked lubrication points. This powerful and versatile grease gun provides two flow rates – low and high – and can dispense up to 24 grease cartridges per battery charge. The TLGB 21 can deliver pressures up to 690 bar (10000 psi) and features a built-in light to illuminate the work area.

- Integrated grease meter tracks dispensed grease
- Display indicates lithium battery charge level and remaining grease level
- LED light illuminates work area to help locate grease fittings in dimly lit environments
- 20V 2.5Ah Lithium-ion battery dispenses up to 24 grease cartridges per charge and maintains stable energy output
- Filler nipple facilitates clean and simple filling from drums using filler pumps
- Lightweight, ergonomic design with optimized balance for operator comfort
- including 120V high capacity battery charger and 48 inch high pressure hose

Dimensions

Hose length	48.0315 in
Case dimensions (l x h x w)	25.2 x 5.3 x 15.0 in

Performance

Maximum pressure	5802 psi
Grease output at 70 bar (1000 psi) - Low speed	3.72 US fl-oz/min
Grease output at 70 bar (1000 psi) - High speed	5.75 US fl-oz/min
Battery capacity	2.5 A·h

Properties

Type	Battery driven grease gun
NLGI class of lubricant (max)	2
Maximum peak pressure	10153 psi
Number of available pump speeds	2
Cartridges per battery charge	15

Display	Yes, can show Grease meter, Battery capacity level, Cartridge grease level, Alerts of blocked fittings and Alerts of loss of prime
Built-in light	Yes
Integrated grease metre	Yes
Battery	20V Li-ion battery
Battery charger	100-120V, 50 / 60 Hz
Battery charge time (max)	90 min
Operating temperature range	-4 – 122 °F
Content	1x Grease gun;1x 2.5 Ah battery;1x charger;1x instructions for use;1x carrying case

Logistics

Country of Manufacturing (COM code)	47 - China
Product net weight	15.3 lb
eClass code	23-06-91-06
UNSPSC code	15121902

Compatible products

Type	Designation	Description	Qty
Spare part	TLGB 21-1	Spare carrying strap for battery driven grease gun	1
Spare part	TLGB 21-2	Spare Li-Ion battery for battery driven grease gun	1
Spare part	TLGB 21-3	Spare high pressure hose with coupler for battery driven grease gun	1
Spare part	TLGB 21-4	Spare grease tube assembly for battery driven grease gun	1
Spare part	TLGB 21-5	Spare charger for battery driven grease gun	1
Spare part	TLGB 21-6	Spare charger for battery driven grease gun	1
Spare part	TLGB 21-9	Accessory Li-Ion battery for battery driven grease gun	1
Spare part	TLGB 21-10	Grease handling tools - Spare part, accessories	1
Accessory	LAGC S	Grease coupler	1
Accessory	TLGB 1875A	Spare DC Charger for battery driven grease guns	1
Accessory	TLGH CH1	Accessory magnetic grease gun holder for both manual and battery driven grease guns	1
Recommended product	LAGN 120	Grease nipple set	1
Recommended product	TLGB 21/230V	Battery driven grease gun	1
Recommended product	TLGB 1886-E	Battery driven grease gun	1
Recommended product	TLGB 1262-E	Battery driven grease gun	1
Recommended product	LGEM 2/0.4	High viscosity bearing grease with solid lubricants	1

Type	Designation	Description	Qty
Recommended product	LGEP 2/0.4	High load, extreme pressure bearing grease	1
Recommended product	LGEV 2/0.4	Extremely high viscosity bearing grease with solid lubricants	1
Recommended product	LGFG 2/0.4	General purpose food grade grease	1
Recommended product	LGFQ 2/0.4	High load, water resistant and wide temperature food grade grease	1
Recommended product	LGGB 2/0.4	EAL Biodegradable bearing grease	1
Recommended product	LGHB 2/0.4	High load, high temperature, high viscosity bearing grease	1
Recommended product	LGHC 2/0.4	High load, water resistant, high temperature bearing grease	1
Recommended product	LGHP 2/0.4	High performance, high temperature bearing grease	1
Recommended product	LGHQ 2/0.4	Electric motor bearing grease	1
Recommended product	LGLS 2/0.4	High viscosity lubrication systems grease	1
Recommended product	LGLT 2/0.4	Low temperature, extremely high speed bearing grease	1
Recommended product	LGMT 2/0.4	General purpose industrial and automotive bearing grease	1
Recommended product	LGMT 3/0.4	General purpose industrial and automotive bearing grease	1
Recommended product	LGWA 2/0.4	Wide temperature range, extreme pressure, high load bearing grease	1
Recommended product	LGWM 1/0.4	Extreme pressure low temperature bearing grease	1
Recommended product	LGWM 2/0.4	High loads, wide temperature bearing grease	1
Recommended product	LGNL 2/0.4	General purpose, high load industrial bearing grease	1
Recommended tool	LAGF 18	Grease filler pump for use on drums	1
Recommended tool	LAGF 50	Grease filler pump for use on drums	1
Recommended tool	LGCC 2/0.4	General purpose, lubrication systems grease	1